Rubber Stud Mount / GA Series

Cylindrical Anti-Vibration Rubber Mounts Male-Male.
Large selection of cylindrical rubber anti-vibration mounts in male-male configuration.



Part Number	D	H	G	L	Max Compression 45 Shore A (KG)	Max Shear 45 Shore A (KG)	Max Compression 60 Shore A (KG)	Max Shear 60 Shore A (KG)
GA0607M3	06	07	M3	6	1.3	0.4	2.2	0.7
GA0805M3	08	05	M3	6	2.75	0.9	4.85	1.6
GA0807M3	08	07	M3	6	2.6	0.8	4.7	1.5
GA0808M3	08	08	M3	6	2.4	0.8	4.4	1.5
GA0912M3	09	12	M3	6	1.8	0.6	5.4	1.62
GA0912M4	09	12	M4	10	1.8	0.6	5.4	1.62
GA0912M5	09	12	M5	12	1.8	0.6	5.4	1.62
GA1008M3	10	08	M3	6	2.7	0.9	7.9	2.4
GA1008M4	10	08	M4	10	2.7	0.9	7.9	2.4
GA1010M3	10	10	M3	6	2.5	1.0	7.7	3.1
GA1010M4	10	10	M4	10	2.5	1.0	7.7	3.1
GA1010M5	10	10	M5	12	2.5	1.0	7.7	3.1
GA1015M3	10	15	M3	6	1.8	0.7	5.6	2.3
GA1015M4	10	15	M4	10	1.8	0.7	5.6	2.3
GA1015M5	10	15	M5	12	1.8	0.7	5.6	2.3
GA1017M3	10	17	M3	6	1.6	0.5	5.0	1.6
GA1017M4	10	17	M4	10	1.6	0.5	5.0	1.6

Gelmec
1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP
Telephone: +44(0) 1493 668622 **Fax:** +44(0) 1493 668623
Email: sales@gelmec.co.uk **Website:** www.gelmec.co.uk

GA1017M5	10	17	M5	12	1.6	0.5	5.0	1.6
GA1018M3	10	18	M3	6	1.4	0.45	4.5	1.5
GA1018M4	10	18	M4	10	1.4	0.45	4.5	1.5
GA1018M5	10	18	M5	12	1.4	0.45	4.5	1.5
GA1030M3	10	30	M3	6	1.0	0.3	2.8	0.9
GA1030M4	10	30	M4	10	1.0	0.3	2.8	0.9
GA1030M5	10	30	M5	12	1.0	0.3	2.8	0.9
GA1111M3	11	11	M3	6	2.0	0.8	5.7	2.3
GA1111M4	11	11	M4	10	2.0	0.8	5.7	2.3
GA1111M5	11	11	M5	12	2.0	0.8	5.7	2.3
GA1210M3	12	10	M3	6	3.5	1.4	10	3
GA1210M4	12	10	M4	10	3.5	1.4	10	3
GA1210M5	12	10	M5	12	3.5	1.4	10	3
GA1315M4	13	15	M4	10	3.2	1	8.1	2.6
GA1326M4	13	26	M4	10	1.4	0.45	4.5	1.5
GA1326M5	13	26	M5	12	1.4	0.45	4.5	1.5
GA1507M4	15	07	M4	15	15.4	3.5	36	6.4
GA1507M5	15	07	M5	15	15.4	3.5	36	6.4
GA1508M4	15	08	M4	15	12	3	25	5.2
GA1508M5	15	08	M5	15	12	3	25	5.2
GA1509M4	15	09	M4	15	11	3	16.8	5.2
GA1509M5	15	09	M5	15	11	3	16.8	5.2
GA1510M4	15	10	M4	15	9.2	3	15.1	5.2
GA1510M5	15	10	M5	15	9.2	3	15.1	5.2
GA1512M4	15	12	M4	15	8.2	2.7	14.5	5.2
GA1512M5	15	12	M5	15	8.2	2.7	14.5	5.2
GA1513M4	15	13	M4	15	7.9	2.6	14.1	5.2
GA1513M5	15	13	M5	15	7.9	2.6	14.1	5.2
GA1515M4	15	15	M4	15	6	2	13.3	5.2
GA1515M5	15	15	M5	15	6	2	13.3	5.2
GA1520M4	15	20	M4	15	4.9	1.6	10	4
GA1520M5	15	20	M5	15	4.9	1.6	10	4
GA1525M4	15	25	M4	15	2.9	1	7.25	2.4
GA1525M5	15	25	M5	15	2.9	1	7.25	2.4
GA1530M4	15	30	M4	15	1.75	0.6	4.1	1.4
GA1530M5	15	30	M5	15	1.75	0.6	4.1	1.4
GA1610M4	16	10	M4	10	15	6		50 shore only
GA1610M5	16	10	M5	10	15	6		50 shore only
GA1618M4	16	18	M4	15	6	2	13.3	5.2
GA1618M5	16	18	M5	15	6	2	13.3	5.2
GA1805.7M5	18	5.7	M5	15	32	9.2	55	10.56
GA2008M5	20	08	M5	15	25	9.2	48	9.8
GA2010M6	20	10	M6	18	17	6.8	32.4	9.2
GA2010M8	20	10	M8	20	17	6.8	32.4	9.2
GA2011M5	20	11	M5	15	16.2	6.5	30.8	9.2
GA2011M6	20	11	M6	20	16.2	6.5	30.8	9.2
GA2011M8	20	11	M8	20	16.2	6.5	30.8	9.2
GA2012M5	20	12	M5	15	14.8	5.9	28.1	9.2

Gelmec
1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP
Telephone: +44(0) 1493 668622 **Fax:** +44(0) 1493 668623
Email: sales@gelmec.co.uk **Website:** www.gelmec.co.uk

GA2012M6	20	12	M6	20	14.8	5.9	28.1	9.2
GA2012M8	20	12	M8	20	14.8	5.9	28.1	9.2
GA2013M5	20	13	M5	15	14.1	5.7	26.8	9.2
GA2013M6	20	13	M6	20	14.1	5.7	26.8	9.2
GA2013M8	20	13	M8	20	14.1	5.7	26.8	9.2
GA2015M5	20	15	M5	15	12.3	4.2	25.5	9.2
GA2015M6	20	15	M6	20	12.3	4.2	25.5	9.2
GA2015M8	20	15	M8	20	12.3	4.2	25.5	9.2
GA2017M5	20	17	M5	15	11.8	4.2	24.6	9.2
GA2017M6	20	17	M6	20	11.8	4.2	24.6	9.2
GA2017M8	20	17	M8	20	11.8	4.2	24.6	9.2
GA2020M5	20	20	M5	15	11	4.2	23.5	9.2
GA2020M6	20	20	M6	20	11	4.2	23.5	9.2
GA2020M8	20	20	M8	20	11	4.2	23.5	9.2
GA2023M5	20	23	M5	15	10.8	4.2	23	9.2
GA2023M6	20	23	M6	20	10.8	4.2	23	9.2
GA2023M8	20	23	M8	20	10.8	4.2	23	9.2
GA2025M5	20	25	M5	15	10.5	4.2	22.7	9.2
GA2025M6	20	25	M6	20	10.5	4.2	22.7	9.2
GA2025M8	20	25	M8	20	10.5	4.2	22.7	9.2
GA2030M5	20	30	M5	15	10.2	4.1	22.3	9.0
GA2030M6	20	30	M6	20	10.2	4.1	22.3	9.0
GA2030M8	20	30	M8	20	10.2	4.1	22.3	9.0
GA25.522M8	25.5	22	M8	20	18	6.7	37	14.6
GA2508M6	25	08	M6	20	39.6	6.6	79.2	14.4
GA2510M6	25	10	M6	20	33	6.6	60.3	14.4
GA2510M8	25	10	M8	20	33	6.6	60.3	14.4
GA2512M6	25	12	M6	20	29	6.6	54.3	14.4
GA2512M8	25	12	M8	20	29	6.6	54.3	14.4
GA2513M6	25	13	M6	20	25.5	6.6	51	14.4
GA2513M8	25	13	M8	20	25.5	6.6	51	14.4
GA2514M6	25	14	M6	20	22.8	6.6	46	14.4
GA2514M8	25	14	M8	20	22.8	6.6	46	14.4
GA2515M6	25	15	M6	20	21.5	6.6	43.2	14.4
GA2515M8	25	15	M8	20	21.5	6.6	43.2	14.4
GA2517M6	25	17	M6	20	20.7	6.6	42.1	14.4
GA2517M8	25	17	M8	20	20.7	6.6	42.1	14.4
GA2518M6	25	18	M6	20	19.8	6.6	41.1	14.4
GA2518M8	25	18	M8	20	19.8	6.6	41.1	14.4
GA2519M6	25	19	M6	20	19	6.6	40	14.4
GA2519M8	25	19	M8	20	19	6.6	40	14.4
GA2520M6	25	20	M6	20	18.4	6.6	38.5	14.4
GA2520M8	25	20	M8	20	18.4	6.6	38.5	14.4
GA2522M6	25	22	M6	20	17.8	6.6	37.4	14.4
GA2522M8	25	22	M8	20	17.8	6.6	37.4	14.4
GA2525M6	25	25	M6	20	17.1	6.6	36.6	14.4
GA2525M8	25	25	M8	20	17.1	6.6	36.6	14.4
GA2527M6	25	27	M6	20	16.8	6.6	36.2	14.4

Gelmec
1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP
Telephone: +44(0) 1493 668622 **Fax:** +44(0) 1493 668623
Email: sales@gelmec.co.uk **Website:** www.gelmec.co.uk

GA2527M8	25	27	M8	20	16.8	6.6	36.2	14.4
GA2528M6	25	28	M6	20	16.2	6.6	35.9	14.4
GA2528M8	25	28	M8	20	16.2	6.6	35.9	14.4
GA2530M6	25	30	M6	20	16.4	6.6	35.6	14.4
GA2530M8	25	30	M8	20	16.4	6.6	35.6	14.4
GA2622M6	26	22	M6	20	18.5	7.5	39	16.8
GA2622M8	26	22	M8	20	18.5	7.5	39	16.8
GA3010M10	30	10	M10	25	45	9.5	90	20.8
GA3010M6	30	10	M6	20	45	9.5	90	20.8
GA3010M8	30	10	M8	20	45	9.5	90	20.8
GA3012M10	30	12	M10	25	42	9.5	80	20.8
GA3012M6	30	12	M6	20	42	9.5	80	20.8
GA3012M8	30	12	M8	20	42	9.5	80	20.8
GA3013M10	30	13	M10	25	40	9.5	78	20.8
GA3013M6	30	13	M6	20	40	9.5	78	20.8
GA3013M8	30	13	M8	20	40	9.5	78	20.8
GA3015M10	30	15	M10	25	37.8	9.5	72.3	20.8
GA3015M6	30	15	M6	20	37.8	9.5	72.3	20.8
GA3015M8	30	15	M8	20	37.8	9.5	72.3	20.8
GA3017M10	30	17	M10	25	36	9.5	67	20.8
GA3017M6	30	17	M6	20	36	9.5	67	20.8
GA3017M8	30	17	M8	20	36	9.5	67	20.8
GA3018M10	30	18	M10	25	34	9.5	63	20.8
GA3018M6	30	18	M6	20	34	9.5	63	20.8
GA3018M8	30	18	M8	20	34	9.5	63	20.8
GA3020M10	30	20	M10	25	29.5	9.5	60	20.8
GA3020M6	30	20	M6	20	29.5	9.5	60	20.8
GA3020M8	30	20	M8	20	29.5	9.5	60	20.8
GA3020MS8	30	20	M8	15	29.5	9.5	60	20.8
GA3022M10	30	22	M10	25	27	9.5	57	20.8
GA3022M6	30	22	M6	20	27	9.5	57	20.8
GA3022M8	30	22	M8	20	27	9.5	57	20.8
GA3025M10	30	25	M10	25	26.3	9.5	55.2	20.8
GA3025M6	30	25	M6	20	26.3	9.5	55.2	20.8
GA3025M8	30	25	M8	20	26.3	9.5	55.2	20.8
GA3030M10	30	30	M10	25	24.8	9.5	52.9	20.8
GA3030M6	30	30	M6	20	24.8	9.5	52.9	20.8
GA3030M8	30	30	M8	20	24.8	9.5	52.9	20.8
GA3035M10	30	35	M10	25	24	9.5	51	20.8
GA3035M6	30	35	M6	20	24	9.5	51	20.8
GA3035M8	30	35	M8	20	24	9.5	51	20.8
GA3040M10	30	40	M10	25	23.3	9.5	50.8	20.8
GA3040M6	30	40	M6	20	23.3	9.5	50.8	20.8
GA3040M8	30	40	M8	20	23.3	9.5	50.8	20.8
GA3045M10	30	45	M10	25	20	9.5	40	20.8
GA3045M6	30	45	M6	20	20	9.5	40	20.8
GA3045M8	30	45	M8	20	20	9.5	40	20.8
GA3225M6	32	25	M6	20	30	8	50	12

Gelmec
1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP
Telephone: +44(0) 1493 668622 **Fax:** +44(0) 1493 668623
Email: sales@gelmec.co.uk **Website:** www.gelmec.co.uk

GA3225M8	32	25	M8	20	30	8	50	12
GA4010M10	40	10	M10	25	80	17	140	36.9
GA4010M6	40	10	M6	20	80	17	140	36.9
GA4010M8	40	10	M8	23	80	17	140	36.9
GA4015M10	40	15	M10	25	71	17	130	36.9
GA4015M6	40	15	M6	20	71	17	130	36.9
GA4015M8	40	15	M8	23	71	17	130	36.9
GA4020M10	40	20	M10	25	63.2	17	122.6	36.9
GA4020M6	40	20	M6	20	63.2	17	122.6	36.9
GA4020M8	40	20	M8	23	63.2	17	122.6	36.9
GA4025M10	40	25	M10	25	54	17	112	36.9
GA4025M6	40	25	M6	20	54	17	112	36.9
GA4025M8	40	25	M8	23	54	17	112	36.9
GA4027M10	40	27	M10	25	51	17	108	36.9
GA4027M6	40	27	M6	20	51	17	108	36.9
GA4027M8	40	27	M8	23	51	17	108	36.9
GA4028M10	40	28	M10	25	49.2	17	104	36.9
GA4028M6	40	28	M6	20	49.2	17	104	36.9
GA4028M8	40	28	M8	23	49.2	17	104	36.9
GA4030M10	40	30	M10	25	48.1	17	100.2	36.9
GA4030M6	40	30	M6	20	48.1	17	100.2	36.9
GA4030M8	40	30	M8	23	48.1	17	100.2	36.9
GA4030MS8	40	30	M8	20	48.1	17	100.2	36.9
GA4035M10	40	35	M10	25	46	17	97.8	36.9
GA4035M6	40	35	M6	20	46	17	97.8	36.9
GA4035M8	40	35	M8	23	46	17	97.8	36.9
GA4038M10	40	38	M10	25	44.5	17	95.6	36.9
GA4038M6	40	38	M6	20	44.5	17	95.6	36.9
GA4038M8	40	38	M8	23	44.5	17	95.6	36.9
GA4040M10	40	40	M10	25	43.7	17	93.5	36.9
GA4040M6	40	40	M6	20	43.7	17	93.5	36.9
GA4040M8	40	40	M8	23	43.7	17	93.5	36.9
GA4040MS8	40	40	M8	20	43.7	17	93.5	36.9
GA4045M10	40	45	M10	25	42.1	15	78.3	32
GA4045M6	40	45	M6	20	42.1	15	78.3	32
GA4045M8	40	45	M8	23	42.1	15	78.3	32
GA4060M10	40	60	M10	25	38.9	14	48.3	28.5
GA4060M6	40	60	M6	20	38.9	14	48.3	28.5
GA4060M8	40	60	M8	23	38.9	14	48.3	28.5

Gelmec
1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP
Telephone: +44(0) 1493 668622 **Fax:** +44(0) 1493 668623
Email: sales@gelmec.co.uk **Website:** www.gelmec.co.uk